

Botanical Tales of the Pacific Crest Trail

with Matt Berger



Part 3: Northern CA's Cascades + Klamath Mountains

Plants listed in order of appearance

Longhorn Steer's-Head	
<i>(Dicentra uniflora)</i>	
Western Roseroot	
<i>(Rhodiola integrifolia)</i>	
Western Labrador Tea	
<i>(Rhododendron columbianum)</i>	
Lanceleaf Spring Beauty	
<i>(Claytonia lanceolata)</i>	
Stream Violet	
<i>(Viola glabella)</i>	
Mountain Pink Currant	
<i>(Ribes nevadense)</i>	
Scarlet Gilia	
<i>(Ipomopsis aggregate)</i>	
Hot Rock Penstemon	
<i>(Penstemon deustus)</i>	
Broadstemmed Onion	
<i>(Allium platycaule)</i>	
Stemless Goldenweed	
<i>(Stenotus acaulis)</i>	
Prairie-smoke	
<i>(Geum triflorum var. ciliatum)</i>	
Spearleaf Stonecrop	
<i>(Sedum lanceolatum)</i>	

Brown's Peony	
<i>(Paeonia brownii)</i>	
White Globes	
<i>(Ipomopsis congesta ssp. montana)</i>	
Dwarf Alpine Indian Paintbrush	
<i>(Castilleja nana)</i>	
Sky Mousetails	
<i>(Ivesia shockleyi var. shockleyi)</i>	
Austin's Milkvetch	
<i>(Astragalus austiniae)</i>	
Mount Rose Wild Buckwheat	
<i>(Eriogonum rosense var. rosense)</i>	
Western Waterleaf	
<i>(Hydrophyllum occidentale)</i>	
Jepson's Monkeyflower	
<i>(Diplacus jepsonii)</i>	
Southern Wild Buckwheat	
<i>(Eriogonum douglasii var. meridionale)</i>	
Snowplant	
<i>(Sarcodes sanguinea)</i>	
Skunky Monkeyflower	
<i>(Diplacus mephiticus)</i>	
Sierra Cliffbrake	
<i>(Pellaea brachyptera)</i>	
Mountain Misery	
<i>(Chamaebatia foliolosa)</i>	
Wavy-leafed Soap Plant	
<i>(Chlorogalum pomeridianum)</i>	

Sierra Pincushion	
<i>(Chaenactis nevadensis)</i>	
Hutchison's Lewisia	
<i>(Lewisia kelloggii ssp. hutchisonii)</i>	
Arrowleaf Balsamroot	
<i>(Balsamorhiza sagittate)</i>	
Purple Fawn Lily	
<i>(Erythronium purpurascens)</i>	
One-seeded Pussypaws	
<i>(Calyptridium monospermum)</i>	
Dusty-Maidens	
<i>(Chaenactis douglasii var. douglasii)</i>	
<i>Castilleja sp.</i>	
Mountain Tritelleia	
<i>(Triteleia montana)</i>	
Tall Phacelia	
<i>(Phacelia procera)</i>	
Quincy Lupine	
<i>(Lupinus dalesiae)</i>	
Western Catchfly	
<i>(Silene occidentalis ssp. occidentalis)</i>	
Alaska Piperia	
<i>(Platanthera unalascensis)</i>	
Pipsissewa	
<i>(Chimaphila umbellata)</i>	
Little Prince's Pine	
<i>(Chimaphila menziesii)</i>	

Toothed wintergreen <i>(Pyrola dentata)</i>	
White-veined Wintergreen <i>(Pyrola picta)</i>	
Leafless Wintergreen <i>(Pyrola aphylla)</i>	
Bog Wintergreen <i>(Pyrola asarifolia)</i>	
Largeflower Bush Monkeyflower <i>(Diplacus grandiflorus)</i>	
Lewis' Mock Orange <i>(Philadelphus lewisii)</i>	
Cantelow's Lewisia <i>(Lewisia cantelovii)</i>	
Golden-anthered Clarkia <i>(Clarkia mildrediae ssp. lutescens)</i>	
Mildred's Clarkia <i>(Clarkia mildrediae ssp. mildrediae)</i>	
Cardinal Catchfly <i>(Silene laciniata)</i>	
Sierra Blue Grass <i>(Poa sierrae)</i>	
Closed-throated Beardtongue <i>(Penstemon personatus)</i>	
Mock Leopardbane <i>(Arnica dealbata)</i>	
Sacramento Waxydogbane <i>(Cycladenia humilis var. humilis)</i>	

Granite Buckwheat	
<i>(Eriogonum lobbii)</i>	
Carolina Bugbane	
<i>(Trautvetteria caroliniensis)</i>	
Flat Spurred Piperia	
<i>(Platanthera transversa)</i>	
California Sweetshrub	
<i>(Calycanthus occidentalis)</i>	
White Rushlily	
<i>(Hastingsia alba)</i>	
Meadow Bird's Foot Trefoil	
<i>(Hosackia pinnata)</i>	
Lemmon's Catchfly	
<i>(Silene lemmonii)</i>	
Threelobed Lewisia	
<i>(Lewisia triphylla)</i>	
Nevada Lewisia	
<i>(Lewisia nevadensis)</i>	
Shorthorn Steer's Head	
<i>(Dicentra pauciflora)</i>	
Small Camas	
<i>(Camassia quamash)</i>	
Woolly Nama	
<i>Eriodictyon lobbii</i>	
Bolander's Knotweed	
<i>(Polygonum bolanderi)</i>	
Spotted Coralroot	
<i>(Corallorhiza maculata)</i>	

Plumas County Beardtongue	
<i>(Penstemon neotericus)</i>	
Woodland Pinedrops	
<i>(Pterospora andromedea)</i>	
Shasta Lily	
<i>(Lilium pardalinum ssp. shastense)</i>	
Tawny Horkelia	
<i>(Horkelia fusca var. tenella)</i>	
Geysers Panicum	
<i>(Panicum acuminatum var. thermale)</i>	
Round-leaved Sundew	
<i>(Drosera rotundifolia)</i>	
Coleman's Piperia	
<i>(Piperia colemanii)</i>	
Western Stoneseed	
<i>(Lithospermum ruderale)</i>	
Small-leaved Horsemint	
<i>(Agastache parvifolia)</i>	
Susanville Milkvetch	
<i>(Astragalus inversus)</i>	
Dwarf Skullcap	
<i>(Scutellaria nana)</i>	
Hairy-flower Wild Buckwheat	
<i>(Eriogonum hirtiflorum)</i>	
Baker's Globe Mallow	
<i>(Iliamna bakeri)</i>	
Wickerstem Buckwheat	
<i>(Eriogonum vimineum)</i>	

Narrowleaf Milkweed	
<i>(Asclepias fascicularis)</i>	
Sagebrush Mariposa Lily	
<i>(Calochortus macrocarpus)</i>	
Common Hareleaf	
<i>(Lagophylla ramosissima)</i>	
Rough Eyelashweed	
<i>(Blepharipappus scaber)</i>	
Spineless Horsebrush	
<i>(Tetradymia canescens)</i>	
California Damasonium	
<i>(Damasonium californicum)</i>	
Helicopter Ferns	
Genus Marsilea	
Snowy Thistle	
<i>(Cirsium occidentale var. candidissimum)</i>	
Gumplants	
Genus Grindelia	
Volcano Sedge	
<i>Carex inops ssp. inops</i>	
Shasta Lily	
<i>(Lilium pardalinum ssp. shastense)</i>	
Bear Valley Wild Buckwheat	
<i>(Eriogonum ursinum)</i>	
Naked Mariposa Lily	
<i>(Calochortus nudus)</i>	
Mountain Owl's Clover	
<i>(Orthocarpus imbricatus)</i>	

Phantom Orchid	
<i>(Cephalanthera austiniiae)</i>	
Saffron Flowered Lupine	
<i>(Lupinus croceus var. croceus)</i>	
Bride's Bonnet	
<i>(Clintonia uniflora)</i>	
Prettyface	
<i>(Triteleia ixioides)</i>	
Western Columbine	
<i>(Aquilegia formosa)</i>	
Washington Lily	
<i>Lilium washingtonianum ssp. washingtonianum</i>	
Indian Rhubarb	
<i>(Darmera peltata)</i>	
Lemmon's Keckiella	
<i>(Keckiella lemmonii)</i>	
Siskiyou False-Hellebore	
<i>(Veratrum insolitum)</i>	
Canyon Creek Stonecrop	
<i>(Sedum paradisum)</i>	
Shasta Maidenhair	
<i>(Adiantum shastense)</i>	
Shasta Ageratina	
<i>Ageratina shastensis</i>	
Shasta County Arnica	
<i>(Arnica venosa)</i>	
California Rayless Daisy	
<i>(Erigeron reductus var. reductus)</i>	

Common Beargrass	
<i>(Xerophyllum tenax)</i>	
Sugarstick	
<i>(Allotropa virgata)</i>	
Pacific Coralroot	
<i>(Corallorhiza mertensiana)</i>	
Quill-leaf Lewisia	
<i>(Lewisia leana)</i>	
Cliff Beardtongue	
<i>(Penstemon rupicola)</i>	
California Pitcher-Plant	
<i>(Darlingtonia californica)</i>	
Western False Asphodel	
<i>(Triantha occidentalis)</i>	
Silky Balsamroot	
<i>(Balsamorhiza sericea)</i>	
Scott Mountain Phacelia	
<i>(Howellanthus dalesianus)</i>	
Klamath Rushlily	
<i>(Hastingsia serpentinicola)</i>	
Pink-flowered Stickseed	
<i>(Hackelia mundula)</i>	
Klamath Rock Daisy	
<i>(Erigeron petrophilus var. viscidulus)</i>	
Shasta Chaenactis	
<i>(Chaenactis suffrutescens)</i>	
Mt. Eddy Lupine	
<i>(Lupinus lapidicola)</i>	

Siskiyou Fireweed	
<i>(Epilobium siskiyouense)</i>	
Rydberg's Spring Beauty	
<i>(Claytonia obovata)</i>	
Alpine Pennycress	
<i>(Noccaea fendleri ssp. glauca)</i>	
Golden Alpine Draba	
<i>(Draba aureola)</i>	
Lemmon's Holly Fern	
<i>(Polystichum lemmonii)</i>	
Trinity Buckwheat	
<i>(Eriogonum alpinum)</i>	
Leafy Lousewort	
<i>(Pedicularis racemosa)</i>	
Bloomer's Fleabane	
<i>(Erigeron bloomeri)</i>	
Siskiyou Buckwheat	
<i>(Eriogonum siskiyouense)</i>	
Pringle's Phacelia	
<i>(Phacelia pringlei)</i>	
Congdon's Buckwheat	
<i>(Eriogonum congdonii)</i>	
Threadleaf Primrose Monkeyflower	
<i>(Erythranthe linearifolia)</i>	
Elegant Star Tulip	
<i>(Calochortus elegans)</i>	
Gray's Catchfly	
<i>(Silene grayi)</i>	

Mountain Spiraea	
<i>(Spiraea splendens)</i>	
Bell Catchfly	
<i>(Silene campanulata ssp. glandulosa)</i>	
Short-podded Thelypodium	
<i>(Thelypodium brachycarpum)</i>	
Serpentine Spring Beauty	
<i>(Claytonia serpicola)</i>	
Klamath Foxtail Pine	
<i>(Pinus balfouriana ssp. balfouriana)</i>	
Shasta Aster	
<i>(Dieteria canescens var. shastensis)</i>	
Tracy's Collomia	
<i>(Collomia tracyi)</i>	
Bolander's Madia	
<i>(Kyhosia bolanderi)</i>	
Cliff Maids	
<i>(Lewisia cotyledon var. cotyledon)</i>	
Klamath Fleabane	
<i>(Erigeron klamathensis)</i>	
Brewer's Spruce	
<i>(Picea breweriana)</i>	
Norwegian Mugwort	
<i>(Artemisia norvegica)</i>	
Arrowleaf Buckwheat	
<i>(Eriogonum compositum)</i>	
Scarlet Gilia	
<i>(Ipomopsis aggregata)</i>	

Purple-flowered Washington Lily <i>(Lilium washingtonianum ssp. purpurascens)</i>	
Deer Oak <i>(Quercus sadleriana)</i>	
Littleleaf Silverback <i>(Luina hypoleuca)</i>	
Hooker's Pussytoes <i>(Antennaria racemosa)</i>	
Yellowish Lousewort <i>(Pedicularis bracteosa var. flavida)</i>	
Wood Saxifrage <i>(Saxifraga mertensiana)</i>	
Northern Holly Fern <i>(Polystichum lonchitis)</i>	
Strawberry-leaf Saxifrage <i>(Saxifragopsis fragarioides)</i>	
Curved-beak Lousewort <i>(Pedicularis contorta)</i>	
Woodland Beardtongue <i>(Nothochelone nemorosa)</i>	
American Trailplant <i>(Adenocaulon bicolor)</i>	
Western Featherbells <i>(Stenanthium occidentale)</i>	
Merriam's Alumroot <i>(Heuchera merriami)</i>	
Winged-seed Draba <i>(Draba pterosperma)</i>	

Monument Plant	
<i>(Fraseria speciosa)</i>	
Split-hair Paintbrush	
<i>(Castilleja schizotricha)</i>	
Yellow Tritelia	
<i>(Triteleia crocea)</i>	
Wormleaf Stonecrop	
<i>(Sedum stenopetalum)</i>	
<i>Sedum radiatum var. ciliosum</i>	
Barestem Biscuitroot	
<i>(Lomatium nudicaule)</i>	
Scouler's Harebell	
<i>(Campanula scouleri)</i>	
Twinflower	
<i>(Linnaea borealis)</i>	
Angle Leafed Miterwort	
<i>(Ozomelis diversifolia)</i>	
Threelaf Foamflower	
<i>(Tiarella trifoliata)</i>	
Mountain Lady's-Slipper	
<i>(Cypripedium montanum)</i>	
Pacific Madrone	
<i>(Arbutus menziesii)</i>	
Scarlet Monkeyflower	
<i>(Erythranthe cardinalis)</i>	
Heckner's Stonecrop	
<i>(Sedum laxum ssp. heckneri)</i>	

Whitestem Frasera	
<i>(Frasera albicaulis)</i>	
Golden Chinquapin	
<i>(Chrysolepis chrysophylla)</i>	
Broad-lipped Twayblade	
<i>(Listera convallarioides)</i>	
Northwestern Twayblade	
<i>(Listera banksiana)</i>	
Northern Phlox	
<i>(Phlox adsurgens)</i>	
Howell's Lousewort	
<i>(Pedicularis howellii)</i>	
Western Cone-Flower	
<i>(Rudbeckia occidentalis)</i>	
Fireweed	
<i>(Chamaenerion angustifolium)</i>	
Howell's Lewisia	
<i>(Lewisia cotyledon var. howellii)</i>	
Jaynes Canyon Buckwheat	
<i>(Eriogonum diclinum)</i>	
Coastal Manroot	
<i>(Marah oregana)</i>	